



## Safety Data Sheet

**Material Name:** ECOPOWER MOTOR OIL Includes Grades: 5W-20, 5W-30, 10W-30, 10W-40, 20W-50, 10W, 30, SAE 30

**SDS ID:** 820038

### Section 1 - PRODUCT AND COMPANY IDENTIFICATION

**Material Name**

ECOPOWER MOTOR OIL Includes Grades: 5W-20, 5W-30, 10W-30, 10W-40, 20W-50, 10W, 30, SAE 30

**Product Code**

Prefix 21

**Synonyms**

Petroleum oil; Lube oil; Petroleum hydrocarbon; Lubricant.

**Product Use Recommended Use**

For lubricating passenger car motors. If this product is used in combination with other products, refer to the Safety Data Sheets for those products.

**Restrictions on Use**

None known.

**MANUFACTURER/SUPPLIER**

Safety-Kleen Systems, Inc.  
2600 North Central Expressway  
Suite 200  
Richardson, TX 75080  
www.safety-kleen.com

**IMPORTER/DISTRIBUTOR**

Safety-Kleen Canada, Inc.  
25 Regan Road  
Brampton, Ontario, Canada L1A 1B2

Phone: 1-800-669-5740

Emergency Phone #: 1-800-468-1760

**Issue Date**

March 30, 2017

**Supersedes Issue Date**

November 10, 2015

**Original Issue Date**

October 31, 1988

### Section 2 - HAZARDS IDENTIFICATION

**Classification in accordance with Schedule 1 of Canada's Hazardous Products Regulations (HPR) (SOR/2015-17) and paragraph (d) of 29 CFR 1910.1200 in the United States**

Not hazardous according to classification criteria.

**GHS Label Elements**

**Symbol(s)**

None needed according to classification criteria.

**Signal Word**

None needed according to classification criteria.

**Hazard Statement(s)**

None needed according to classification criteria.

**Precautionary Statement(s)**

**Prevention**

None needed according to classification criteria.

**Response**

None needed according to classification criteria.

**Storage**

None needed according to classification criteria.

# Safety Data Sheet

Material Name: ECOPOWER MOTOR OIL Includes Grades: 5W-20, 5W-30, 10W-30, 10W-40, 20W-50, 10W, 30, SAE 30

SDS ID: 820038

## Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

## Hazard(s) Not Otherwise Classified

Repeated exposure may cause skin dryness or cracking. When aerosolizing, misting, or heating these products, high concentrations of generated vapor or mist may irritate the respiratory tract (nose, throat, and lungs).

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
64741-88-4	Petroleum distillates, solvent-refined heavy paraffinic	0-100
64742-01-4	Residual oils, petroleum, solvent-refined	0-100
64742-57-0	Residual oils (petroleum), hydrotreated	0-100
72623-83-7	Lubricating oils, petroleum, C<gt;25, hydrotreated bright stock-based	0-100
64742-62-7	Residual oils (petroleum), solvent dewaxed	0-100
64742-58-1	Lubricating oils, petroleum, hydrotreated spent	3-100
72623-87-1	Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based	0-40
178603-64-0	Gas oils, petroleum, vacuum, hydrocracked, hydroisomerized, hydrogenated, C15-30, branched and cyclic, high viscosity index	0-45
178603-65-1	Gas oils, petroleum, vacuum, hydrocracked, hydroisomerized, hydrogenated, C20-40, branched and cyclic, high viscosity index	0-45
178603-66-2	Gas oils, petroleum, vacuum, hydrocracked, hydroisomerized, hydrogenated, C25-55, branched and cyclic, high viscosity index	0-45
Not Available	Mineral Oil	4-24
64742-52-5	Petroleum distillates, hydrotreated heavy naphthenic	0-26
68649-42-3	Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	0.25-1.5

## Section 4 - FIRST AID MEASURES

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if needed.

### Skin

IF ON SKIN: Wash with plenty of soap and water. Get medical attention, if needed.

## Safety Data Sheet

**Material Name: ECOPOWER MOTOR OIL Includes Grades: 5W-20, 5W-30, 10W-30, 10W-40, 20W-50, 10W, 30, SAE 30**

**SDS ID: 820038**

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Get medical attention if needed.

### Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

### Most Important Symptoms/Effects

#### Acute

No information on significant adverse effects.

#### Delayed

No information on significant adverse effects.

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively. Treatment may vary with condition of victim and specifics of incident.

## Section 5 - FIRE FIGHTING MEASURES

### Extinguishing Media

#### Suitable Extinguishing Media

Carbon dioxide, regular foam, dry chemical, water spray, or water fog. Water or foam may cause frothing.

#### Unsuitable Extinguishing Media

Do not use high pressure water streams.

### Special Hazards Arising from the Chemical

Negligible fire hazard. Avoid friction, static electricity, and sparks.

### Hazardous Combustion Products

Burning may produce: Carbon monoxide, aldehydes, hydrogen sulfide, alkyl mercaptans, sulfides, oxides of sulfur, calcium and zinc and other unidentified organic compounds.

### Fire Fighting Measures

Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. Keep unnecessary people away, isolate hazard area and deny entry.

### Special Protective Equipment and Precautions for Firefighters

A positive-pressure, self-contained breathing apparatus (SCBA) and full-body protective equipment are required for fire emergencies.

## Section 6 - ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

### Methods and Materials for Containment and Cleaning Up

Remove all ignition sources. Do not touch or walk through spilled product. Stop leak if you can do it without risk. Wear protective equipment and provide engineering controls as specified in SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Ventilate area and avoid breathing vapor or mist. Contain spill away from surface water and sewers. Contain spill as a liquid for possible recovery, or sorb with compatible sorbent material and shovel with a clean, sparkproof tool into a sealable container for disposal. Additionally, for large spills: Dike far ahead of liquid spill for collection and later disposal.

# Safety Data Sheet

Material Name: ECOPOWER MOTOR OIL Includes Grades: 5W-20, 5W-30, 10W-30, 10W-40, 20W-50, 10W, 30, SAE 30

SDS ID: 820038

## Section 7 - HANDLING AND STORAGE

### Precautions for Safe Handling

Keep away from sparks or flame. Where flammable mixtures may be present, equipment safe for such locations should be used. Use clean tools. When transferring large volumes of product, metal containers, including trucks and tank cars, should be grounded and bonded. These products have a low vapor pressure and are not expected to present an inhalation hazard under normal temperatures and pressures. However, when aerosolizing, misting, or heating these products, do not breathe vapor or mist. Use in a well ventilated area. Avoid contact with: Skin, eyes, clothing, shoes. Wash thoroughly after handling. Do not eat, drink, or smoke when using this product.

### Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed when not in use and during transport. Store containers in a cool, dry place. Do not pressurize, cut, weld, braze, solder, drill, or grind containers. Keep containers away from flame, sparks, static electricity, or other sources of ignition. Empty product containers may retain product residue and can be dangerous.

### Incompatible Materials

Acids, oxidizing materials, reactive halogens.

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

### Component Exposure Limits

Canada, OSHA, NIOSH, and ACGIH have not developed exposure limits for any of this product's components.

### ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

### Engineering Controls

Provide general ventilation. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls.

### Individual Protection Measures, such as Personal Protective Equipment

#### Eye/face protection

Wear safety glasses. Additional protection like goggles, face shields, or respirators may be needed dependent upon anticipated use and concentrations of mists or vapors. Eye wash fountain and emergency showers are recommended. Contact lens use is not recommended.

#### Respiratory Protection

A respiratory protection program which meets USA's OSHA General Industry Standard 29 CFR 1910.134 or Canada's CSA Standard Z94.4-M1982 requirements must be followed whenever workplace conditions warrant a respirator's use. Consult a qualified Industrial Hygienist or Safety Professional for respirator selection guidance.

#### Glove Recommendations

Where skin contact is likely, wear chemical impervious protective gloves; use of natural rubber or equivalent gloves is not recommended. When products are heated and skin contact is likely, wear heat-resistant gloves, boots, and other protective clothing. To avoid prolonged or repeated contact where spills and splashes are likely, wear appropriate chemical-resistant faceshield, boots, apron, coveralls, long sleeve shirts, or other protective clothing.

#### Protective Materials

Personal protective equipment should be selected based upon the conditions under which this material is used. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to regulatory requirements. The following PPE should be considered the minimum required: Safety glasses, gloves, and lab coat or apron.

## Safety Data Sheet

Material Name: ECOPOWER MOTOR OIL Includes Grades: 5W-20, 5W-30, 10W-30, 10W-40, 20W-50, 10W, 30, SAE 30

SDS ID: 820038

### Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Amber liquid.	<b>Physical State</b>	Liquid
<b>Odor</b>	Petroleum odor.	<b>Color</b>	Amber
<b>Odor Threshold</b>	Not available	<b>pH</b>	Not available
<b>Melting Point</b>	Not available	<b>Boiling Point</b>	246 °C (475 °F Minimum )
<b>Boiling Point Range</b>	Not available	<b>Freezing point</b>	Not available
<b>Evaporation Rate</b>	Not available	<b>Flammability (solid, gas)</b>	Not available
<b>Autoignition Temperature</b>	Not available	<b>Flash Point</b>	195 °C (383 °F Minimum )
<b>Lower Explosive Limit</b>	Not available	<b>Decomposition temperature</b>	Not available
<b>Upper Explosive Limit</b>	Not available	<b>Vapor Pressure</b>	<0.1 mmHg @ 68°F °C (20° C )
<b>Vapor Density (air=1)</b>	Not available	<b>Specific Gravity (water=1)</b>	0.88 (Approximate Water = 1 )
<b>Water Solubility</b>	(Insoluble )	<b>Partition coefficient: n-octanol/water</b>	Not available
<b>Viscosity</b>	>20.5mm <sup>2</sup> /s @ 104°F	<b>Solubility (Other)</b>	Not available
<b>Density</b>	7.3 lb/gal (US Approximate )	<b>Pour Point</b>	-18 °C (0 °F Maximum )
<b>VOC</b>	Negligible as per U.S EPA 40 CFR 51.100(s)	<b>Molecular Weight</b>	Not available
<b>OSHA Flammability Class</b>	Not flammable		

**Other Property Information** No information available.

### Section 10 - STABILITY AND REACTIVITY

#### Reactivity

No reactivity hazard is expected.

#### Chemical Stability

Stable under normal temperatures and pressures.

#### Possibility of Hazardous Reactions

Will not polymerize.

#### Conditions to Avoid

Avoid sparks, flame, and other sources of ignition.

#### Incompatible Materials

Avoid oxidizing agents, reducing agents, and/or acids.

#### Hazardous decomposition products

None under normal temperatures and pressures.

# Safety Data Sheet

Material Name: ECOPOWER MOTOR OIL Includes Grades: 5W-20, 5W-30, 10W-30, 10W-40, 20W-50, 10W, 30, SAE 30

SDS ID: 820038

## Section 11 - TOXICOLOGICAL INFORMATION

### Information on Likely Routes of Exposure

#### Inhalation

No information on significant adverse effects.

#### Skin Contact

Prolonged or repeated exposure may cause skin dryness or cracking.

#### Eye Contact

No information on significant adverse effects.

#### Ingestion

May be harmful if swallowed.

### Acute and Chronic Toxicity

#### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

##### **Petroleum distillates, solvent-refined heavy paraffinic (64741-88-4)**

Oral LD50 Rat >5000 mg/kg;Dermal LD50 Rabbit >2000 mg/kg;Inhalation LC50 Rat >5530 mg/m<sup>3</sup> 4 h (no deaths occurred )

##### **Residual oils, petroleum, solvent-refined (64742-01-4)**

Oral LD50 Rat >5000 mg/kg;Dermal LD50 Rabbit >2000 mg/kg;Inhalation LC50 Rat 2.18 mg/L 4 h

##### **Lubricating oils, petroleum, C>;25, hydrotreated bright stock-based (72623-83-7)**

Oral LD50 Rat >5000 mg/kg

##### **Residual oils (petroleum), solvent dewaxed (64742-62-7)**

Oral LD50 Rat >5000 mg/kg;Dermal LD50 Rabbit >2000 mg/kg;Inhalation LC50 Rat 2.18 mg/L 4 h

##### **Lubricating oils, petroleum, hydrotreated spent (64742-58-1)**

Oral LD50 Rat >2000 mg/kg;Dermal LD50 Rabbit >4480 mg/kg

##### **Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based (72623-87-1)**

Oral LD50 Rat >5000 mg/kg;Dermal LD50 Rabbit >2000 mg/kg;Inhalation LC50 Rat 2.18 mg/L 4 h

##### **Petroleum distillates, hydrotreated heavy naphthenic (64742-52-5)**

Oral LD50 Rat >5000 mg/kg;Dermal LD50 Rabbit >2000 mg/kg

### Product Toxicity Data

#### Acute Toxicity Estimate

Dermal	> 2000 mg/kg
Oral	> 2000 mg/kg

#### Immediate Effects

No information on significant adverse effects.

#### Delayed Effects

No information on significant adverse effects.

#### Irritation/Corrosivity Data

May cause slight skin and respiratory irritation.

#### Respiratory Sensitization

No information on significant adverse effects.

#### Dermal Sensitization

No information for the product.

#### Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA

## Safety Data Sheet

**Material Name: ECOPOWER MOTOR OIL Includes Grades: 5W-20, 5W-30, 10W-30, 10W-40, 20W-50, 10W, 30, SAE 30**

**SDS ID: 820038**

**Germ Cell Mutagenicity**

No information available for the product.

**Tumorigenic Data**

No information available for the product.

**Reproductive Toxicity**

No data available for this product.

**Specific Target Organ Toxicity - Single Exposure**

No information on significant adverse effects.

**Specific Target Organ Toxicity - Repeated Exposure**

No target organs identified.

**Aspiration hazard**

No data available.

**Medical Conditions Aggravated by Exposure**

Individuals with pre-existing respiratory tract (nose, throat, and lungs), eye, and/or skin disorders may have increased susceptibility to the effects of exposure.

<b>Section 12 - ECOLOGICAL INFORMATION</b>
--

**Ecotoxicity**

Harmful to aquatic life with long lasting effects.

**Component Analysis - Aquatic Toxicity**

<b>Petroleum distillates, solvent-refined heavy paraffinic</b>	<b>64741-88-4</b>
Fish:	LC50 96 h Oncorhynchus mykiss >5000 mg/L
Invertebrate:	EC50 48 h Daphnia magna >1000 mg/L IUCLID
<b>Residual oils, petroleum, solvent-refined</b>	<b>64742-01-4</b>
Fish:	LC50 96 h Oncorhynchus mykiss >5000 mg/L
Invertebrate:	EC50 48 h Daphnia magna >1000 mg/L IUCLID
<b>Lubricating oils, petroleum, C&gt;;25, hydrotreated bright stock-based</b>	<b>72623-83-7</b>
Fish:	LC50 96 h Lepomis macrochirus >10000 mg/L
<b>Residual oils (petroleum), solvent dewaxed</b>	<b>64742-62-7</b>
Fish:	LC50 96 h Oncorhynchus mykiss >5000 mg/L
Invertebrate:	EC50 48 h Daphnia magna >1000 mg/L IUCLID
<b>Lubricating oils, petroleum, hydrotreated spent</b>	<b>64742-58-1</b>
Fish:	LC50 96 h Brachydanio rerio 79.6 mg/L [semi-static ]; LC50 96 h Pimephales promelas 3.2 mg/L [semi-static ]

## Safety Data Sheet

**Material Name: ECOPOWER MOTOR OIL Includes Grades: 5W-20, 5W-30, 10W-30, 10W-40, 20W-50, 10W, 30, SAE 30**

**SDS ID: 820038**

<b>Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based</b>	<b>72623-87-1</b>
Fish:	LC50 96 h Oncorhynchus mykiss >5000 mg/L
Invertebrate:	EC50 48 h Daphnia magna >1000 mg/L IUCLID
<b>Petroleum distillates, hydrotreated heavy naphthenic</b>	<b>64742-52-5</b>
Fish:	LC50 96 h Oncorhynchus mykiss >5000 mg/L
Invertebrate:	EC50 48 h Daphnia magna >1000 mg/L IUCLID
<b>Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts</b>	<b>68649-42-3</b>
Fish:	LC50 96 h Pimephales promelas 1 - 5 mg/L [static ]; LC50 96 h Pimephales promelas 10 - 35 mg/L [semi-static ]
Invertebrate:	EC50 48 h Daphnia magna 1 - 1.5 mg/L IUCLID

**Persistence and Degradability**

No information available for the product.

**Bioaccumulative Potential**

No information available for the product.

**Mobility**

No information available for the product.

### Section 13 - DISPOSAL CONSIDERATIONS

**Disposal Methods**

Dispose of contents/container in accordance with local/regional/national/international regulations. Regulations may also apply to empty containers. The responsibility for proper waste disposal lies with the owner of the waste. Contact Safety-Kleen regarding proper recycling or disposal. This product, if discarded, is not expected to be a characteristic or listed hazardous waste. If recycled in the USA, it can be managed in accordance with the used oil exemption under 40 CFR Part 279. Processing, use, or contamination by the user may change the waste code(s) applicable to the disposal of this product.

### Section 14 - TRANSPORT INFORMATION

**US DOT Information:**

UN/NA #: Not regulated as a hazardous material.

**IATA Information:**

UN#: Not regulated as a hazardous material.

**IMDG Information:**

UN#: Not regulated as a hazardous material.

**TDG Information:**

UN#: Not regulated as a hazardous material.

**International Bulk Chemical Code**

## Safety Data Sheet

**Material Name: ECOPOWER MOTOR OIL Includes Grades: 5W-20, 5W-30, 10W-30, 10W-40, 20W-50, 10W, 30, SAE 30**

**SDS ID: 820038**

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

<b>Section 15 - REGULATORY INFORMATION</b>
--

**U.S. Federal Regulations**

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

**SARA Section 311/312 (40 CFR 370 Subparts B and C)**

**Acute Health: Yes Chronic Health: Yes Fire: No Pressure: No Reactivity: No**

**Component Analysis - Inventory**

**Petroleum distillates, solvent-refined heavy paraffinic (64741-88-4), Residual oils, petroleum, solvent-refined (64742-01-4), Residual oils (petroleum), hydrotreated (64742-57-0), Lubricating oils, petroleum, C<sub>></sub>;25, hydrotreated bright stock-based (72623-83-7), Residual oils (petroleum), solvent dewaxed (64742-62-7), Lubricating oils, petroleum, hydrotreated spent (64742-58-1), Lubricating oils, petroleum, C<sub>20</sub>-50, hydrotreated neutral oil-based (72623-87-1), Petroleum distillates, hydrotreated heavy naphthenic (64742-52-5), Phosphorodithioic acid, O,O-di-C<sub>1</sub>-14-alkyl esters, zinc salts (68649-42-3)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	No	Yes	Yes	Yes	Yes

**Gas oils, petroleum, vacuum, hydrocracked, hydroisomerized, hydrogenated, C<sub>15</sub>-30, branched and cyclic, high viscosity index (178603-64-0)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	No	No	No	No	No	No	No	No	Yes	No	No	Yes

**Gas oils, petroleum, vacuum, hydrocracked, hydroisomerized, hydrogenated, C<sub>20</sub>-40, branched and cyclic, high viscosity index (178603-65-1), Gas oils, petroleum, vacuum, hydrocracked, hydroisomerized, hydrogenated, C<sub>25</sub>-55, branched and cyclic, high viscosity index (178603-66-2)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	No	No	No	No	No	No	No	No	Yes	No	No	Yes

## Safety Data Sheet

Material Name: ECOPOWER MOTOR OIL Includes Grades: 5W-20, 5W-30,  
10W-30, 10W-40, 20W-50, 10W, 30, SAE 30

SDS ID: 820038

### Section 16 - OTHER INFORMATION

**NFPA Ratings: Health: 1 Fire: 1 Reactivity: 0**

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

#### Summary of Changes

Revision to comply with WHMIS 2015.

**Key / Legend** **ACGIH** - American Conference of Governmental Industrial Hygienists; **ADR** - European Road Transport; **AU** - Australia; **BOD** - Biochemical Oxygen Demand; **C** - Celsius; **CA** - Canada; **CA/MA/MN/NJ/PA** - California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; **CAS** - Chemical Abstracts Service; **CFR** - Code of Federal Regulations (US); **CERCLA** - Comprehensive Environmental Response, Compensation, and Liability Act; **CLP** - Classification, Labelling, and Packaging; **CN** - China; **CPR** - Controlled Products Regulations; **DFG** - Deutsche Forschungsgemeinschaft; **DOT** - Department of Transportation; **DSD** - Dangerous Substance Directive; **DSL** - Domestic Substances List; **EC** - European Commission; **EEC** - European Economic Community; **EIN** - European Inventory of (Existing Commercial Chemical Substances); **EINECS** - European Inventory of Existing Commercial Chemical Substances; **ENCS** - Japan Existing and New Chemical Substance Inventory; **EPA** - Environmental Protection Agency; **EU** - European Union; **F** - Fahrenheit; **IARC** - International Agency for Research on Cancer; **IATA** - International Air Transport Association; **ICAO** - International Civil Aviation Organization; **IDL** - Ingredient Disclosure List; **IDLH** - Immediately Dangerous to Life and Health; **IMDG** - International Maritime Dangerous Goods; **ISHL** - Japan Industrial Safety and Health Law; **IUCLID** - International Uniform Chemical Information Database; **JP** - Japan; **Kow** - Octanol/water partition coefficient; **KECI** - Korea Existing Chemicals Inventory; **KECL** - Korea Existing Chemicals List; **KR** - Korea; **LD50/LC50** - Lethal Dose/ Lethal Concentration; **LEL** - Lower Explosive Limit; **LLV** - Level Limit Value; **LOLI** - List Of Lists™ - ChemADVISOR's Regulatory Database; **MAK** - Maximum Concentration Value in the Workplace; **MEL** - Maximum Exposure Limits; **MX** - Mexico; **NDSL** - Non-Domestic Substance List (Canada); **NFPA** - National Fire Protection Agency; **NIOSH** - National Institute for Occupational Safety and Health; **NJTSR** - New Jersey Trade Secret Registry; **NTP** - National Toxicology Program; **NZ** - New Zealand; **OSHA** - Occupational Safety and Health Administration; **PEL** - Permissible Exposure Limit; **PH** - Philippines; **RCRA** - Resource Conservation and Recovery Act; **REACH** - Registration, Evaluation, Authorisation, and restriction of Chemicals; **RID** - European Rail Transport; **SARA** - Superfund Amendments and Reauthorization Act; **STEL** - Short-term Exposure Limit; **TCCA** - Korea Toxic Chemicals Control Act; **TDG** - Transportation of Dangerous Goods; **TLV** - Threshold Limit Value; **TSCA** - Toxic Substances Control Act; **TW** - Taiwan; **TWA** - Time Weighted Average; **UEL** - Upper Explosive Limit; **UN/NA** - United Nations /North American; **US** - United States; **VLE** - Exposure Limit Value (Mexico); **WHMIS** - Workplace Hazardous Materials Information System (Canada).

#### Other Information

**Disclaimer:** User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, Safety-Kleen assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or the product to which the information refers. The data contained on this sheet apply to the product as supplied to the user.