



PRODUCT CODE
805160000032000
805160000032005
805160000032055

Liquid Guardian Well Drip Oil

SAFETY DATA SHEET

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

SECTION 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER

Product Name: Liquid Guardian Well Drip Oil

Product Weights: 150-T

Product Codes: See section 16

Synonyms: White Mineral Oil

1.2 INTENDED USE OF THE PRODUCT

Hydraulic Fluid

1.3 NAME, ADDRESS, AND TELEPHONE OF THE RESPONSIBLE PARTY

Christensen Inc.

1060 Jadwin Ave. Richland, WA 99352

(509) 882-2115

www.ChristensenUSA.com

1.4 EMERGENCY TELEPHONE NUMBER

Emergency Number: 1-800-424-9300, CHEMTREC

SECTION 2: HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Hazards: None known.

2.2 LABEL ELEMENTS

No known significant effects or critical hazards.

No Signal word.

Prevention: No GHS prevention statements.

Response: No GHS prevention statements.

Storage: No GHS prevention statements.

Disposal: No GHS prevention statements.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Ingredient/Chemical Designations	Weight %	GHS Classification
White mineral oil - CAS Number: 8042-47-5	100	None

Liquid Guardian Well Drip Oil

PRODUCT CODE
805160000032000
805160000032005
805160000032055



LIQUID GUARDIAN

SAFETY DATA SHEET

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

SECTION 4: FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

General: In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Inhalation: Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

Eye Contact: Immediately flush the eyes with large amounts of water for at least 15 minutes, alternately lifting the upper and lower eyelids. After 5 minutes, if appropriate, remove contact lenses and continue flushing the eyes for an additional 15 minutes. Not expected to cause prolonged or significant eye irritation.

Skin Contact: Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Contact with the skin is not expected to cause prolonged or significant irritation. Contact with the skin is not expected to cause an allergic skin response. Not expected to be harmful to internal organs if absorbed through the skin.

Ingestion: Not expected to be harmful if swallowed. Do NOT induce vomiting.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS BOTH ACUTE AND DELAYED

Overview: No known significant effects or critical hazards.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray. Do not use; water jet.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Hazardous decomposition: Highly dependent on combustion conditions. A complex mixture of airborne solids, liquids and gases including carbon monoxide, carbon dioxide and unidentified organic compounds will be evolved when this material undergoes combustion.

5.3 ADVICE FOR FIRE-FIGHTERS

Firefighting personnel should respond with appropriate protective clothing, firefighting gear, and breathing equipment as trained. All other personnel should exit the area and proceed to a gathering point in an area unaffected by the fire and smoke. See Section 9 for Flammable Properties including Flash Point and Flammable (Explosive) Limits. ERG Guide No. 128.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Put on appropriate personal protective equipment (see section 8).

6.2 ENVIRONMENTAL PRECAUTIONS

Do not allow spills to enter drains or waterways. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Protective Measures: Eliminate all sources of ignition in vicinity of spilled material.

Spill Management: Stop the source of the release if you can do it without risk. Contain release to prevent further contamination of soil,

Liquid Guardian Well Drip Oil

SAFETY DATA SHEET

PRODUCT CODE

805160000032000
805160000032005
805160000032055



LIQUID GUARDIAN

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

surface water or groundwater. Clean up spill as soon as possible, observing precautions in Exposure Controls/Personal Protection. Use appropriate techniques such as applying non-combustible absorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations.

Reporting: Report spills to local authorities as appropriate or required.

SECTION 7: HANDLING AND STORAGE

7.1 GENERAL HANDLING INFORMATION

Keep away from flames and hot surfaces. Use good personal hygiene practices and wear appropriate personal protective equipment. Spills will produce very slippery surfaces.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Avoid contaminating soil or releasing this material into sewage and drainage systems and bodies of water.

7.3 STATIC HAZARD

Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary but may not, by themselves, be sufficient. Review all operations which have the potential of generating and accumulating an electrostatic charge and/or a flammable atmosphere (including tank and container filling, splash filling, tank cleaning, sampling, gauging, switch loading, filtering, mixing, agitation, and vacuum truck operations) and use appropriate mitigating procedures. For more information, refer to OSHA Standard 29 CFR 1910.106, 'Flammable and Combustible Liquids', National Fire Protection Association (NFPA 77, 'Recommended Practice on Static Electricity', and/or the American Petroleum Institute (API) Recommended Practice 2003, 'Protection Against Ignitions Arising Out of Static, Lightning, and Stray Currents'.

7.4 CONTAINER WARNINGS

Container is not designed to contain pressure. Do not use pressure to empty container or it may rupture with explosive force. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly.

Incompatible materials: Strong acids or strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

EXPOSURE

CAS No.	Ingredient	Source	Value
8042-47-5	White Mineral Oil	OSHA	Exposure limits for oil mist are 5 mg/m ³
		ACGIH	5 mg/m ³
		IOSH	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m³ OSHA PEL and 10 mg/m³ ACGIH.

Liquid Guardian Well Drip Oil

PRODUCT CODE

805160000032000
805160000032005
805160000032055



LIQUID GUARDIAN

SAFETY DATA SHEET

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

CARCINOGEN DATA

CAS No.	Ingredient	Source	Value
8042-47-5	White Mineral Oil	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No

8.2 EXPOSURE CONTROLS

Respiratory Protection: If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.

Eye Protection: No special eye protection is normally required. Where splashing is possible, wear safety glasses with side shields as a good safety practice.

Skin Protection: Wear overalls to keep skin contact to a minimum. Nitrile rubber gloves should be worn.

Engineering Controls: Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices: Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Colorless Liquid
Odor	Petroleum odor
Odor Threshold	Not Measured
pH	Not Applicable
Melting point / Freezing point	Not Applicable
Initial boiling point and boiling range	> 260 C (500 F)
Flash Point	350 F (177 C) minimum (Cleveland Open Cup)
Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not Measured Upper Explosive Limit: Not Measured
Vapor pressure (Pa)	< 0.01 mmHg @ 37.8 C (100 F)
Vapor Density	> 1
Specific Gravity	0.85 - 0.88 @ 15.6 C (60.1F) / 15.6 C (60.1 F)
Solubility in Water	Soluble in hydrocarbon solvents, insoluble in water
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Measured

Liquid Guardian Well Drip Oil

SAFETY DATA SHEET

PRODUCT CODE

805160000032000
805160000032005
805160000032055



LIQUID GUARDIAN

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES, CONT'D

Decomposition temperature	Not Measured
Viscosity (cSt)	25-300 cSt @ 40 C (104 F)
Pour point	-12C (10 F)

DMSO extract by IP346: Less than 3.0 wt %.

SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY

Hazardous Polymerization will not occur.

10.2 CHEMICAL STABILITY

Stable under normal circumstances.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

None known (none expected).

10.4 CONDITIONS TO AVOID

Extended exposure to high temperatures can cause decomposition. Avoid all possible sources of ignition.

10.5 INCOMPATIBLE MATERIALS

Strong acids or strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Not anticipated under conditions of normal use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 ACUTE TOXICITY

Ingredient	Oral LD50, g/kg	Skin LD50, g/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, g/L/4hr	Inhalation Gas LD50, ppm
White Mineral Oil (8042-47-5)	>5 Rat - Category: 5	>2g/kg Category: 4	No data available	>5 Rat - Category: 5	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	--	Not Applicable
Acute toxicity (dermal)	--	Not Applicable
Acute toxicity (inhalation)	--	Not Applicable
Skin corrosion/irritation	--	Not Applicable
Serious eye damage/irritation	--	Not Applicable
Respiratory sensitization	--	Not Applicable

Liquid Guardian Well Drip Oil

PRODUCT CODE

805160000032000
805160000032005
805160000032055



LIQUID GUARDIAN

SAFETY DATA SHEET

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Classification	Category	Hazard Description
Skin sensitization	--	Not Applicable
Germ cell mutagenicity	--	Not Applicable
Carcinogenicity	--	Not Applicable
Reproductive toxicity	--	Not Applicable
STOT-single exposure	--	Not Applicable
STOT-repeated exposure	--	Not Applicable
Aspiration hazard	--	Not Applicable

SECTION 12: ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

All acute aquatic toxicity studies on samples of similar oils show acute toxicity values greater than 100mg/l for invertebrates, algae and fish. These tests were carried out on water accommodated fractions and the results are consistent with predicted aquatic toxicity of these substances based on their hydrocarbon compositions. Not classified hazards.

12.2 ENVIRONMENTAL FATE

This material is considered inherently biodegradable. This material is not expected to present any environmental problems other than those associated with oil spills. This material is not readily biodegradable. See Section 6 for Accidental Release Measures.

12.3 AQUATIC ECOTOXICITY

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
White Mineral Oil (8042-47-5)	5,000, Oncorhynchus mykiss	1,000, Daphnia magna	Not available

12.4 PERSISTENCE AND DEGRADABILITY

Persistence per IOPC Fund definition: persistent.

12.5 BIOACCUMULATIVE POTENTIAL

Not Measured.

12.6 MOBILITY IN SOIL

No data available.

12.7 RESULTS OF PBT AND VPVB ASSESSMENT

(Persistent, bioaccumulative and toxic, very persistent, very bioaccumulative) This product contains no PBT/vPvB chemicals.

12.8 OTHER ADVERSE EFFECTS

None expected.

Liquid Guardian Well Drip Oil

PRODUCT CODE

805160000032000
805160000032005
805160000032055



LIQUID GUARDIAN

SAFETY DATA SHEET

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Use material for its intended purpose or recycle if possible. Oil collection services are available for used oil recycling or disposal. Place contaminated materials in containers and dispose of in a manner consistent with applicable regulations. Contact your sales representative or local environmental or health authorities for approved disposal or recycling methods. (See B.C. Reg. GY/92 Waste Management Act; R.R.O. 1990, Reg. 347 General-Waste Management; C.C.S.M.c. W40 The Waste Reduction and Prevention Act; N.S. Reg. 51/95 and N.S. Reg. 179/96 for examples of Provincial legislation.)

SECTION 14: TRANSPORT INFORMATION

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
UN number	Not Applicable	--	--
UN proper shipping name	PETROLEUM OIL, N.O.I.B.N., NOT REGULATED AS A HAZARDOUS MATERIAL	Not Regulated	Not Regulated
Transport hazard class(es)	DOT Hazard Class: Not Applicable DOT Label: ---	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable
Packing group	Not Applicable	Not Applicable	Not Applicable
Environmental hazards: IMDG	Marine Pollutant: No	--	--
Special precautions for user	No further information	--	--

SECTION 15: REGULATORY INFORMATION

Regulatory Overview: The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA): All components of this material are either listed or exempt from listing on the TSCA Inventory.

WHMIS Classification: Not Regulated.

15.1 US EPA TIER II HAZARDS

Fire: No

Reactive: No

Sudden Release of Pressure: No

Delayed (Chronic): No

Immediate (Acute): No

EPCRA 311/312 Chemicals and RQs: (No Product Ingredients Listed)

EPCRA 302 Extremely Hazardous: (No Product Ingredients Listed)

EPCRA 313 Toxic Chemicals: (No Product Ingredients Listed)

Proposition 65 - Carcinogens (>0.0%): (No Product Ingredients Listed)

Proposition 65 - Developmental Toxins (>0.0%): (No Product Ingredients Listed)

Proposition 65 - Female Repro Toxins (>0.0%): (No Product Ingredients Listed)

Proposition 65 - Male Repro Toxins (>0.0%): (No Product Ingredients Listed)

N.J. RTK Substances (>1%): (No Product Ingredients Listed)

Penn RTK Substances (>1%): (No Product Ingredients Listed)

Liquid Guardian Well Drip Oil

SAFETY DATA SHEET

PRODUCT CODE

805160000032000
805160000032005
805160000032055



LIQUID GUARDIAN

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

15.2 NATIONAL CHEMICAL INVENTORIES

Chemical Name	AICS	DSL	CHINA	EINCS	ENCS	KOREA	PICCS	TSCA	CANADA
White Mineral Oil	x	x	x	x	x	x	x	x	x

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

16.1 REVISION STATEMENT

Revision Date: 02/20/2026

16.2 PARTY RESPONSIBLE FOR THE PREPARATION OF THIS DOCUMENT

Christensen Inc.

1060 Jadwin Ave. Richland, WA 99352

(509) 882-2115

www.ChristensenUSA.com

The information in this SDS is based on the knowledge, information, and belief of Christensen and its affiliates as of the publication date. It is not a quality specification, and no warranty, express or implied, is given. We assume no responsibility or liability for the results of using this material. The information presented here pertains only to the listed product. Since conditions of use are beyond our control, it is the user's responsibility to determine the conditions for safe use of this product and assess its suitability for their application. Users should seek additional guidance if necessary.

North America GHS US 2012 & WHMIS 2